

**ECO
HOUSE**

263

**Tree Resin
& Oil
Wood Finish**

Material Safety Data Sheet (MSDS) - 1 -

Section I :

Manufacturer :
Eco - House (1988) Inc.

Date :
May 20, 2007

emergency phone :
(506) - 366 - 3529

Address :
P.O.Box 220, Stn. A
Fredericton, NB E3B 4Y9 Canada

Trade Name :
263 Tree Resin & Oil
Wood Finish

Chemical Type & Function:
Natural Oil & Resin
Wood Finish

Section II : Ingredients

Material / Component	Occupational Exposure Limits	C A S - Number
isoparaffinic mineral oils (zero aromatics)	PEL 275 ppm	64742 - 47 - 8
orange terpene oil (food - grade)		8008 - 57 - 9
light refined linseed oil	not a WHMS / TSCA - controlled product	
linseed stand oil / pine resin blend	not a WHMS / TSCA - controlled product	
chinese wood oil / standoil blend	not a WHMS / TSCA - controlled product	
micro-cristalline wax	non-hazardous(FDA)	64742 - 42 - 3
zirconium, calcium & cobalt octoate blend		18312 - 04 - 4 Zr 6107 - 56 - 8 Ca 6700 - 85 - 2 Co

Section III : Physical Data

boiling range : 171 - 192°C	specific gravity (H2O=1): 0.77 @ 15°C
vapour pressure (kPa @25°C): 0.65	volatile parts by vol. % : 48 %
viscosity (cP @ 25°C) : 1.14	evaporation rate :
solubility in water: insoluble	appearance & odour : clear reddish honey-tone linseed / citrus peel

Section IV: Fire & Explosion Hazard Data

flash point (TCC) : >61°C (>142 °F)	flammable limits (% by vol.): LeL 0.6
extinguishing media : CO2, foam, dry chemical	UeL 6.5
special fire fighting procedures : n / a	
unusual fire / explosion hazards :	ATTENTION : Store oil-soaked rags in airtight metal container or submersed in water to avoid spontaneous combustion.

**ECO
HOUSE**

263

**Tree Resin
& Oil
Wood Finish**

Material Safety Data Sheet (MSDS) - 2 -

Manufacturer :
Eco - House (1988) Inc.

Date :
May 20, 2007

emergency phone :
(506) - 366 - 3529

Address :
P.O.Box 220, Stn. A
Fredericton, NB E3B 4Y9 Canada

Trade Name :
263 Tree Resin & Oil
Wood Finish

Chemical Type & Function:
Natural Oil & Resin
Wood Finish

Section V : Health Hazard Data

A. Routes of Exposure :		B. Emergency & First Aid Procedures :
inhalation	In high concentration narcotic effect LC 50 (rat) > 715 ppm	expose to fresh air
skin contact	low irritation possible LD 50 dermal, rabbit) 3160mg/kg	wash w/soap and water
skin absorption	n / a	n / a
eye contact	irritant of mucous membranes in high concentration	rinse immediately with large qty. of water
ingestion	low toxic effect LD 50 (oral, rat) > 10 000 mg/kg	call physician, do not induce vomiting

Section VI : Reactivity Data

stable X unstable	conditions to avoid: n / a
incompatibility (materials to avoid):	strong oxidizers
hazardous decomposition products :	none
hazardous polymerisation :	will not occur

Section VII: Spill & Leak Procedures

measures in case of spills:	remove with absorbent material and discard in compliance with local regulations
waste disposal method :	dispose of in accordance with applicable provincial, state and federal regulations for organic materials .

Section VIII: Special Protection

respiratory protection:	n/a
general ventilation :	X Do not inhale fumes. Store in a cool, ventilated place
protective gloves:	X
eye protection:	n/a

Section IX: Precautions

Do not ingest. Keep out of reach of children Avoid contact with mucous membranes.
Do not store together with combustible substances or strong oxidizers.
other precautions : Store oil-soaked rags in a metal container or under water to avoid spontaneous combustion