

CONVECTAIR



Making an informed choice



convectorair.com



APÉRO

Natural convection
500 to 2 000 watts (240 V)
500 and 1 250 watts (120 V)
Programmable **
Mimetic white only
7358

Simplicity: The Apéro, with all the essential qualities of a Convectair heater, is the perfect choice to replace an old electric heater or to heat a room neglected by your central system.



ALLEGRO 14

Natural convection
500 to 2 000 watts (240 V)
Programmable *
White or mimetic white

A low profile: The Allegro 14 allows you to make use of space that would otherwise be lost.

7302



ALLEGRO 18

Natural convection
500 to 2 000 watts (240 V)
Programmable *
White or mimetic white

Versatility: The Allegro 18 is a classic model that fits into any room in your home.

7303

* and ** See the Programmer section.



ALLEGRO 26

Natural convection
500 to 2 000 watts (240 V)
Programmable *
White or mimetic white

A narrow format: The Allegro 26 slips into tight spaces between furniture or at the end of a counter, leaving the walls free.

7304



TENOR

Radiant and natural convection
1 500 and 2 000 watts (240 V)
 Programmable*
 Sepia black only
 Not available in the USA.

Warm elegance: The Tenor serves up style and comfort, providing palpable heat similar to that from a fireplace. The superior construction quality comes from the marriage of glass and steel.

7715



ALLEGRO DUO

Radiant and natural convection
1 000, 1 500, 2 000 watts (240 V)
 Programmable*
 White or mimetic white

The perfect couple: The Allegro Duo offers you the choice of both radiant heat and natural convection, for gentle, even heat.

7792



OPERA

Radiant heat
750 and 1 250 watts (240 V)
 Programmable*
 White or greige
 Canada: 7720
 USA: A-7720

An innovative solution: The Opera is a vertical, streamlined model that easily tucks into a corner and radiates heat down its length.



PROGRAMMER

Intelligent comfort: The Programmer system is an easy way to manage your comfort and savings based on your daily schedule. It can also manage up to 20 Convectair heating units at a time (except the Soprano model). Requires at least one Convectair heater from the **7302, 7303, 7304, 7715, 7720** or **7792** series. Compatible with other models; contact Convectair for more information.

Available in **FP** (pilot wire) and **CP** (powerline carrier) versions.

- * These units can receive Programmer **FP, ECP** and **RCP** modules.
- ** These units can receive signal from the Programmer **FP** module.



SAMBA

Natural convection and fan-forced heat
Combined heating:
2 000 watts (240 V)
Programmable **
White only
7835

Built-in and powerful: The Samba comes with a two-stage thermostat for two levels of heating: natural convection (1 000 w) and fan-forced (1 000 w) accelerated heating.



JAZZ

Natural convection and fan-forced heat
Combined heating:
2 000 watts (240 V) 1 500 watts (120 V)
Programmable **
White only
7618

Practical and cosy: The Jazz works in two ways: by natural convection (1 000 w or 750 w) and by a timer-controlled fan (1 000 w or 750 w). Warm or room-temperature air is blown along the towel bars to heat or dry towels.



DIVA

Radiant heat and fan-forced heat
Combined heating:
1 500 watts (240 V)
Programmable **
White only
7647

Smooth and enveloping: The Diva delivers radiant heat (700 w) or combined radiant and fan-forced heat. The grille at the bottom of the unit projects hot air downward. Comes with three fixed towel bars.



BOLÉRO

Radiant heat and fan-forced heat
Combined heating:
2 000 watts (240 V)
Programmable **
White only
7659

Ideal and complete: The Boléro offers the choice of radiant heat (750 w), forced-air heat, or room-temperature air circulation. The air is blown horizontally toward the towel bars. Comes with three adjustable towel bars, two pegs and a removable, washable lint filter.



SOPRANO

Fan-forced heat
750 or 1 500 watts (120V, 240V)
 Controls not included
 Not programmable
 White only
7808

Discreet and powerful: The Soprano is an ultra-compact, powerful fan heater to be installed high up on a wall. The heating is controlled by a timer but can also be activated by a thermostat (compatible with fan convectors). Controls not included.



CALYPSO

Fan-forced heat
Combined heating:
2 000 watts (240V) **1 500 watts** (120V)
 Programmable **
 White or mimetic white
7825

Unique and ingenious: The Calypso combines a fan activated by an electronic thermostat (1 000 w or 750 w) with a timer to set the quick-heat option for up to 30 minutes. Comes with a removable, easy-to-clean lint filter.

CHOICE

Convectair offers you a wide range of heaters in different formats and different capacities. They suit any decor and will provide you with unparalleled comfort.

QUALITY

Our heaters are equipped with an electronic thermostat accurate to 1/10°C (1/5°F) and with our exclusive monoblock heating element. All Convectair heaters are manufactured entirely at our factories, using state-of-the-art technology. Each heater is tested at different stages of the manufacturing process to ensure its superior quality. And every single Convectair heater is covered by our two-year guarantee against all defects, our five-year guarantee on the heating element and our exemplary after-sales service.

SAFETY

Our ultra-safe heaters have grilles that prevent children from touching the heating element, rounded corners and built-in louvers to reduce the risk of injury. A lockable control cover, a thermal safety mechanism that cuts off the power in the event of overheating, and an anti-splash guard are features that give you added peace of mind.

SAVINGS

More than 25 years of research and development have gone into perfecting Convectair heaters, making them ultra-efficient and high-performance units. Thanks to the Convectair Programmer system, you can control the heating schedule for your entire home and achieve additional savings in energy costs.



OPERA

Radiant heat
750 and 1 250 watts (240 V)
 Towel bars sold separately
 Programmable *
 White or greige
Canada: 7720 / USA: A-7720

Warm and appealing: In the bathroom, simply add the optional towel bars and turn the Opera into a towel warmer, another plus that makes it simply irresistible!

HOW TO BUY OUR PRODUCTS

Consult our website at CONVECTAIR.COM for the most recent price list or to locate the nearest electrical contractor. You can also contact Convectair directly, toll-free, at:

1 800 463-6478

Fax : **1 877 434-3166**

E-mail : support@convectair.ca

PRODUCT CHART

MODEL	Catalogue No.	Color ❶	Power 240 V	Height		Width		Depth	
				cm	in	cm	in	cm	in
ALLEGRO 14 SP ❷	7302-C05	BB BM	500W	36	14 1/8	48,9	19 1/4	11	4 1/4
	7302-C07	BB BM	750W	36	14 1/8	56,9	22 3/8	11	4 1/4
	7302-C10	BB BM	1000W	36	14 1/8	64,9	25 1/2	11	4 1/4
	7302-C12	BB BM	1250W	36	14 1/8	84,9	33 3/8	11	4 1/4
	7302-C15	BB BM	1500W	36	14 1/8	84,9	33 3/8	11	4 1/4
	7302-C17	BB BM	1750W	36	14 1/8	112,9	44 1/2	11	4 1/4
7302-C20	BB BM	2000W	36	14 1/8	112,9	44 1/2	11	4 1/4	
ALLEGRO 18 SP ❷	7303-C05	BB BM	500W	47	18 1/2	48,9	19 1/4	11	4 1/4
	7303-C07	BB BM	750W	47	18 1/2	48,9	19 1/4	11	4 1/4
	7303-C10	BB BM	1000W	47	18 1/2	56,9	22 3/8	11	4 1/4
	7303-C12	BB BM	1250W	47	18 1/2	64,9	25 1/2	11	4 1/4
	7303-C15	BB BM	1500W	47	18 1/2	76,9	30 1/4	11	4 1/4
	7303-C17	BB BM	1750W	47	18 1/2	84,9	33 3/8	11	4 1/4
7303-C20	BB BM	2000W	47	18 1/2	84,9	33 3/8	11	4 1/4	
ALLEGRO 26 SP ❷	7304-C05	BB BM	500W	68	26 3/4	32,9	13	11	4 1/4
	7304-C07	BB BM	750W	68	26 3/4	36,9	14 1/2	11	4 1/4
	7304-C10	BB BM	1000W	68	26 3/4	40,9	16 1/8	11	4 1/4
	7304-C12	BB BM	1250W	68	26 3/4	48,9	19 1/4	11	4 1/4
	7304-C15	BB BM	1500W	68	26 3/4	56,9	22 3/8	11	4 1/4
	7304-C17	BB BM	1750W	68	26 3/4	64,9	25 1/2	11	4 1/4
7304-C20	BB BM	2000W	68	26 3/4	76,9	30 1/4	11	4 1/4	
APÉRO ❷	7358-C05	BM	500W	44,5	17 1/2	34	13 3/8	10	4
	7358-C07	BM	750W	44,5	17 1/2	42	16 1/2	10	4
	7358-C10	BM	1000W	44,5	17 1/2	50	19 5/8	10	4
	7358-C12	BM	1250W	44,5	17 1/2	58	22 7/8	10	4
	7358-C15	BM	1500W	44,5	17 1/2	66	26	10	4
	7358-C17	BM	1750W	44,5	17 1/2	74	29 1/8	10	4
7358-C20	BM	2000W	44,5	17 1/2	82	32 1/4	10	4	
ALLEGRO DUO SP ❷	7792-C10	BB BM	1000W	58	22 3/4	60,5	23 1/8	11	4 1/4
	7792-C15	BB BM	1500W	58	22 3/4	92,5	36 3/8	11	4 1/4
	7792-C20	BB BM	2000W	58	22 3/4	116,5	46	11	4 1/4

MODEL	Catalogue No.	Color ❶	Power 240 V	Height		Width		Depth	
				cm	in	cm	in	cm	in
TENOR SP ❷	7715-C15	CB	1500W	56,5	22 1/4	100	39 3/8	10	4
	7715-C20	CB	2000W	56,5	22 1/4	120	47 1/4	10	4
Tenor is not available in the USA.									
CALYPSO ❷	7825-C20	BB BM	1000 - 2000W	41	16	31	12 1/4	14	5 1/2
JAZZ ❷	7618-C20	BB	1000 - 2000W	61,5	24 1/4	54	20 1/8	22	8 5/8
DIVA ❷	7647-C15	BB	1500W	107	42	47	18 1/2	15	6
BOLÉRO ❷	7659-C20	BB	2000W	146,7	58	42,7	16 5/8	16,8	6 3/8
OPERA SP ❷ ❸ ❹	7720-C07	BB GR	750W	100	39 1/2	25	10	17	7 3/4
	7720-C12	BB GR	1250W	151	59 1/2	25	10	17	7 3/4
USA: Add letter "A" before catalogue number, for example: A-7720.									
SOPRANO ❶ ❷	7808-C15	BB	750 - 1500W	22	8 1/2	32	12 1/2	14	5 1/2
SAMBA ❷ ❸	7835-C20	BB	1000 - 2000W	55	21 1/2	38	15	3,8	1 1/2
Note: Depth refers to visible thickness.									
120 VOLTS									
APÉRO ❶	7358-B05	BM	500W	44,5	17 1/2	34	13 3/8	10	4
	7358-B12	BM	1250W	44,5	17 1/2	66	26	10	4
SOPRANO ❶ ❷	7808-B15	BB	750 - 1500W	22	8 1/2	32	12 1/2	14	5 1/2
CALYPSO ❶	7825-B15	BB	750 - 1500W	41	16	31	12 1/4	14	5 1/2
JAZZ ❶	7618-B15	BB	750 - 1500W	61,5	24 1/4	54	20 1/8	22	8 5/8
PROGRAMMER	7392-FP	GR	Pilot wire transmitter requires specific wiring						
	7392-ECP	GR	Powerline carrier transmitter						
	7392-RCP	GR	Powerline carrier receiver						

ACCESSORIES

- Wire-cover
- Peg
- Towel bar
- Wall thermometer

NEW →



WALL THERMOMETER

The wall thermometer covers the opening left by a conventional thermostat and displays the room temperature in degrees Celsius or Fahrenheit. Fits a standard 2-inch x 3-inch (5 cm x 7.6 cm) electrical box. Three-month guarantee.

- ❷ Control panel is designed to accept the 7392 Programmer module.
- ❶ Color BB = White BM = Mimetic White GR = Greige CB = Sepia Black.
USA: Calypso, Allegro Duo available in white only.
- ❷ Compatible with the Programmer system.
- ❸ Not compatible with the Programmer system.
- ❹ Not compatible with the Programmer system. For use with 120 V outlets.
- ❸ Towel bars sold separately.
- ❹ Depth calculated from the corner of the wall.
- ❷ Wattage can be selected at time of installation.
Convectair recommends the installation of a timer. Consult your electrical contractor.
- ❹ Visible thickness: 1 1/2 in (3.8 cm). Total thickness: 4 1/2 in (11.5 cm).

WARRANTY

- **2 years** against all manufacturing defects[†]
- **5 years** on heating elements

[†] Unless otherwise indicated

In keeping with our ongoing commitment to research and development, we reserve the right to change product specifications without notice.

CONVECTAIR

Heat that makes sense!

convectair.com

1 800 463-6478

Fax: 1 877 434-3166 (toll-free)

E-mail: support@convectair.ca
30, Carré Sicard, Sainte-Thérèse
(Québec) J7E 3X6 Canada

Disponible en français.

